

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia St, Ontario, CA 91761-2816 (909) 472-4100 Fax: (909) 472-4244 www.iapmo.org



ANSI Accredited Program
PRODUCT CERTIFICATION



CERTIFICATE OF LISTING

IAPMO Research and Testing, Inc. is a product certification body which tests and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by authorities having jurisdiction.

Effective Date: May 2006 Void After: May 2007


Product: Flushometer Valves (Urinal Or WC) File No. 4291

Issued To: Chicago Faucets
Geberit Manufacturing Division
1100 Boone Drive
Michigan City, IN 46360

IDENTIFICATION: Manufacturer's name or trademark, model designation and UPC® certification mark. Critical level marking on vacuum breaker ("CL").

CHARACTERISTICS: Flushometer valves with vacuum breaker with flow of water adjustable for water closet or urinal usage. Inlet sizes are 1" for water closets and 3/4" for urinals. The critical level marking is to be at least six inches above the flood level rim of a water closet or the highest point of a urinal. Installation instructions shall show the critical lever 25mm above the water overflow level in the tank and shall be accompanied with fill valve. To be installed in accordance with the manufacturer's instructions and the provisions of the latest edition of the Uniform Plumbing Code.

Manufactured in compliance with ASSE 1037-90 and CSA B125.3-2005.



This listing is for the period indicated herein and is void after the date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Research Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Reproduction of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc.


Any alteration of this certificate could be grounds for revocation of the listing.

Robert R. Siemson

Chairman, Product Research Committee

Russ Chaney

Executive Director



IAPMO RESEARCH AND TESTING, INC.

CERTIFICATE OF LISTING

Page 2

Effective Date: May 2006

Void After: May 2007

Product: Flushometer Valves (Urinal Or WC)

File No. 4291

Issued To: Chicago Faucets
Geberit Manufacturing Division

Note: All models are listed to Canadian requirements and shall bear the cUPC® Certification mark.

MODELS: Battery Operated Flushometer Valves

<u>Model No.</u>	<u>Fixture</u>	<u>Rough-In</u>	<u>Retrofit/Complete</u>
115.840.21.1	Urinal	Right	Retrofit
115.841.21.1	Urinal	Right	Complete
115.842.21.1	Urinal	Left	Retrofit
115.843.21.1	Urinal	Left	Complete
115.844.21.1	Toilet	Right	Retrofit
115.845.21.1	Toilet	Right	Complete
115.846.21.1	Toilet	Left	Retrofit
115.847.21.1	Toilet	Left	Complete

AC - Operated Flushometer Valves

<u>Model No.</u>	<u>Fixture</u>	<u>Rough-In</u>	<u>Retrofit/Complete</u>
115.971.21.1-0.5	Urinal	Right	Complete
115.971.21.1-1.0	Urinal	Right	Complete
115.971.21.1-1.5	Urinal	Right	Complete
115.973.21.1-0.5	Urinal	Left	Complete
115.973.21.1-1.0	Urinal	Left	Complete
115.971.21.1-1.5	Urinal	Left	Complete
115.975.21.1-1.6	Toilet	Right	Complete
115.975.21.1-3.5	Toilet	Right	Complete
115.977.21.1-1.5	Toilet	Left	Complete
115.977.21.1-3.5	Toilet	Left	Complete

<u>Model No.</u>	<u>Fixture</u>	<u>Valve</u>	<u>Description</u>
116.600	Urinal	Diaphragm	3/4" NPT Inlet, 3/4" Spud, 1 gpf
116.603	Urinal	Diaphragm	3/4" NPT Inlet, 1-1/4" Spud, 1.5 gpf
116.620	Water Closet	Diaphragm	1" NPT Inlet, 1-1/2" Spud, 1.6 gpf
116.621	Water Closet	Diaphragm	1" NPT Inlet, 1-1/2" Spud, 3.5 gpf
116.700	Urinal	Piston	3/4" NPT Inlet, 3/4" Spud, 1 gpf
116.703	Urinal	Piston	3/4" NPT Inlet, 1-1/4" Spud 1.5 gpf
116.720	Water Closet	Piston	1" NPT Inlet, 1-1/2" Spud, 1.6 gpf
116.721	Water Closet	Piston	1" NPT Inlet, 1-1/2" Spud, 3.5 gpf
116.800	Urinal	Premium Diaphragm	3/4" NPT Inlet, 3/4" Spud, 1 gpf
116.803	Urinal	Premium Diaphragm	3/4" NPT Inlet, 1-1/4" Spud, 1.5 gpf
116.820	Water Closet	Premium Diaphragm	1" NPT Inlet, 1-1/2" Spud, 1.6 gpf
116.821	Water Closet	Premium Diaphragm	1" NPT Inlet, 1-1/2" Spud, 3.5 gpf

Sponsor of the Uniform Plumbing Code™, Uniform Mechanical Code™,
Uniform Swimming Pool, Spa, and Hot Tub Code™,
and Uniform Solar Energy Code™.