

Commercial & Institutional Buildings

Every time you tackle a new project, you're faced with a new set of challenges. From hospitals to schools, every building has its own unique requirements.

You can find Chicago Faucets in education, healthcare, retail, and similar facilities across the country. The reason? We take the hassle out of selecting the right plumbing fixture for your application. This frees you to focus on your central mission: providing a safe, clean, comfortable environment. Here are just a few of the areas where Chicago Faucets make your job easier:

The Most Preferred Brand — In a recent survey, Chicago Faucets was selected as the most preferred commercial faucet brand by leading professionals.


Conservation & Sustainability — Easily select and specify products designed to limit flow rate and operating time to help conserve water. Chicago Faucets actively supports the Water Efficiency (WE) category of LEEDv4 by offering hundreds of products that help you achieve the necessary credits for Indoor Water Use Reduction.

Flexibility & Expandability — When facility usage changes, there's no need to tear out and install new fixtures. Changing components like handles, spouts, and cartridges on your Chicago Faucets is a snap, saving time and reducing inventory for facility maintenance.

Cleanliness & Sanitation — Enhance sanitation and safety with hands-free electronic faucets and a wide selection of pedal-operated products.


Accessibility — Choose from a comprehensive offering of products that meet the requirements of the Americans with Disabilities Act.

Made in the USA — Selecting products that meet the requirements of the Buy American Act can help support jobs across the USA. At Chicago Faucets, over 95% of our products meet these requirements.



Unparalleled quality.

Every Chicago Faucets product is manufactured to the same high standard that has made us the choice of professionals for over 100 years. Shown below are examples of the kind of product features that represent our extraordinary attention to detail.



Model: 333-665PSHVPAABCP • Weight: 1.75 pounds • Cartridge: MVP adjustable metering Body Warranty: Lifetime • Cartridge Warranty: 5-Year • Finish Warranty: 1-Year

Time Saving Products

In competitive bids, it can be difficult to adequately estimate time for the plumbing projects. New fixtures and new technologies can create installation problems that impact the profitability of the job. The last thing you have time for is wrestling with inferior plumbing fittings that cause delays and prevent other trades from completing their work on time and without additional complications.

Supporting Your

Time Saving on the Project

Effectively estimating labor time for competitive bid projects can be challenging. Chicago Faucets continuously refines our product offering to reduce installation time during construction. Our products are true commercial-grade and extensively tested. Once they're installed, you can be sure that they'll work reliably and keep on working, preventing lost time and lost profits caused by costly call-backs.



420-T Series

Faucets with Integrated ASSE 1070 Compliant Thermostatic Protection

Only Chicago Faucets offers a complete line of products with integrated scald protection. Our all-in-one thermostatic solutions for commercial installations feature integrated TempShield $^{\text{\tiny M}}$ scald protection that eliminates the need for a separate thermostatic valve.

- ASSE 1070 thermostatic mixing is built into the faucet
- Quicker installation and lower installation cost
- No need for an additional, external mixing valve
- Simplified code compliance

EQ Series

HyTronic® Faucets – time-saving above-deck design and easy programming.

HyTronic has been designed to be the most dependable electronic faucet on the market. In ongoing laboratory testing, our electronic faucets consistently reach over 4 million faultless activations. It has also been designed for easy installation and programming.



Easy to install

All components are located above deck for fast and easy installation. Simply secure the faucet to the deck, and you're ready for setup.

Easy to program and adjust

The Commander[™] handheld programming unit delivers a new level of faucet control with exclusive touch screen technology to save time on start-up.



Water Conservation

From California to Rhode Island, states have enacted new standards that limit the amount of water that can be used in public and private commercial restrooms. The EPA's WaterSense® program encourages conservation, making it easy for everyone from plumbing professionals to end-users to find water-efficient products. Already widely used in residential settings, the WaterSense label has now been adopted by several states for use with commercial lavatory fittings. LEED v4 is the most stringent program. It establishes standards for public restrooms with a baseline of 0.5 GPM @ 60 PSI.

Supporting Your

Water Conservation Efforts

Chicago Faucets has been an industry leader in the development of water conserving products. Our continued focus is the development of products that conform to and exceed industry standards resulting in products that are truly water conserving.

Faucets Designed to Support Your Efforts With LEED v4 and WaterSense

Chicago Faucets offers an extensive line of products that supports the LEED WE Category with 0.35 GPM faucets for public restrooms. We offer over 170 faucets that meet the Public Lavatory (Restroom) Faucet levels listed below.

% Reduction	Points (BD+C)	L	Public avatory Faucet
Baseline GPM			0.5 @ 60 PSI
20%	Prerequisite	0.4	Over 170 Chicago
25%	1	0.375	Faucets meet or exceed these
30%	2	0.35	requirements.

We also offer a wide choice of faucets that meet requirements for private lavatory, kitchen, and shower – with 200+ faucets certified by WaterSense.






Metal handle with concealed vandal proof hex screw



External timing nut, easy adjustment, no need for water shut-off

Solid brass actuator body





Large filter screen for better performance, less maintenance

MVP™ - The Best Metering Valve You Can Buy

Metering faucets prevent faucet run-on and provide safety, ease of operation, and water conservation. The Chicago Faucets MVPTM cartridge allows the installer to quickly customize the faucet run-time to site conditions.

The time-tested, patented design is backed by an industry-leading 5-year warranty. The MVP cartridge, combined with a low-flow outlet, can provide significant water savings.

Proven Performance

Over 10 years of proven market performance, backed by an industry-leading 5-year warranty.

Exceptional Operation

Self-closing push button handle provides precise water flow for preset cycle time; patented self-cleaning feature for longer life span.

Easy Adjustment

Easily accessible timing adjustment nut allows timing modification (from 1 to 30 seconds) without turning off water supply.

Easy Maintenance

Simple cartridge design with a minimal number of moving parts for easy maintenance cycle time; patented self-cleaning feature for longer life span.



Support

Chicago Faucets is the best choice for large construction projects in Healthcare, Education, Commercial Buildings, Public Assembly, Food Service, and Hospitality. Our wide selection of products and competitive pricing also make us an excellent value in small projects, remodeling, and building upgrades. And regardless of the location and size of your next project, you can count on Chicago Faucets for industry-leading support to make the job a success.

Supporting You

Throughout the Project

You can count on unparalleled support from initial product specification through tech support during installation. Chicago Faucets is committed to delivering the highest level of support with on-time delivery of the very best commercial faucets you can buy.



Design your own product.

In the unlikely event that you can't find exactly what you need among our existing products, our online faucet configurator allows you to build your own Chicago Faucet by mixing and matching any of our components. Our configurator leads you through the process by showing appropriate choices based on product types and features.



Implement your plan.

Our Specifier Resource Center offers a BIM-based library, Revit files, and specification sheets, allowing you to easily incorporate our products in your building plans. This dedicated area on our website allows you to easily browse products and find just the information you need.





Get it when you need it.

Chicago Faucets is committed to a level of customer service that matches the quality of our products. All of our catalog products will ship within 3 days of receipt of your order, with many products available for 24-hour or same-day shipment. See our web site for further details and a complete list of products included in our CFNow!™ quick-ship program.

Single-Source Solution

Chicago Faucets offers single-source solutions for water flow at each of your sink locations. From the restrooms in the lobby to the service sink in the basement, you can count on Chicago Faucets to provide durable, high-performance products. We offer the broadest product selection in our industry, backed by the strongest warranties and unparalleled customer support. Our CFNow! shipping program allows you to receive our most popular faucets right when you need them.

Supporting You

In Every Room in Every Building

Chicago Faucets offers the industry's most comprehensive product offering to provide solutions for every application and every building. That's why Chicago Faucets is the preferred commercial brand and found in the best buildings in the country.

Healthcare

Choose from sink faucets, lavatory faucets, shower valves, bed pan cleaners, and lab faucets to cover any healthcare project.

Office and Retail

Chicago Faucets offers metering faucets, flush valves, and a wide selection of sensor-operated electronic faucets.



Education

From the cafeteria to the janitor's closet, Chicago Faucets provides products for every room in the school.

Food Service

A single-source solution with a wide selection of glass fillers, pot fillers, pre-rinse sprays, and faucets for food prep areas.



Public Restrooms

Reliability, durability, and water conservation are essential for any public restroom. Chicago Faucets products for the restroom deliver unsurpassed commercial performance, help control water usage, and are easy to maintain.





The EQ Series offers convenience features not found in any other hands-free sensor faucets at such an affordable price. Simple plug-and-play installation saves time during setup and maintenance. A choice of

power and mixing options, with single- and dual-supply models in polished chrome or brushed nickel finishes, means you can choose exactly the right EQ faucet for any restroom.



EQ Hands-Free Faucets



Curved Spout in Polished Chrome ASSE 1070 Thermostatic Mixing

Model	Power Supply
EQ-A11A-33ABCP	Plug-in
EQ-A11A-13ABCP	Battery
EQ-A11B-23ABCP	SSPS



Curved Spout in Brushed Nickel ASSE 1070 Thermostatic Mixing

Model	Power Supply
EQ-A11A-33ABBN	Plug-in
EQ-A11A-13ABBN	Battery
EQ-A11C-23ABBN	SSPS



High Arc Spout in Polished Chrome ASSE 1070 Thermostatic Mixing

Model	Power Supply
EQ-C11A-33ABCP	Plug-in
EQ-C11A-13ABCP	Battery
EQ-C11B-23ABCP	SSPS



High Arc Spout in Brushed Nickel ASSE 1070 Thermostatic Mixing

Model	Power Supply
EQ-C11A-33ABBN	Plug-in
EQ-C11A-13ABBN	Battery
EQ-C11C-23ABBN	SSPS



The HyTronic and E-Tronic 40 are the most reliable electronic faucets on the market. Water tight electronics and vandal resistant features ensure reliable performance for years to come. The twin-beam infrared system responds quickly and minimizes false activations. In addition, above deck components and remote diagnostic technology allow fast, trouble-free installation and easy maintenance.

E-Tronic® 40

Model	Water Temperature Control & Power
116.706.AB.1	Single Supply for Tempered Water, AC Power
116.606.AB.1	Single Supply for Tempered Water, DC Power
116.956.AB.1	Single Supply for Tempered Water, SSPS



HyTronic® Curve

Model	Water Temperature Control & Power
116.777.AB.1	User Adjustable Temperature Control Mixer, AC Power
116.877.AB.1	User Adjustable Temperature Control Mixer, DC Power
116.948.AB.1	User Adjustable Temperature Control Mixer, SSPS



116.877.AB.1

HyTronic® Edge

Model	Water Temperature Control & Power
116.778.AB.1	User Adjustable Temperature Control Mixer, AC Power
116.878.AB.1	User Adjustable Temperature Control Mixer, DC Power
116.948.AB.1	User Adjustable Temperature Control Mixer, SSPS





Programming, maintaining, and monitoring HyTronic and E-Tronic 40 faucets is in the palm of your hand with our CommanderTM Handheld Programming Unit. Ruggedized housing, infrared communications, and touch screen technology deliver durable, hassle-free operation.

Commander[™] Handheld Programming Unit

Model	Description
116.585.00.1	Commander™ Handheld Programming Unit



Public Restrooms

Every one of our products is manufactured to the same high standard that has made us the top choice of professionals for over 115 years. Since 1901, we have influenced how every faucet in the world is made and designed with over 50 significant patents and industry innovations. If you need a faucet for your restroom, Chicago Faucets is always your best option.





Heavy duty, solid brass construction is combined with time-tested design to deliver faucets that can stand up to years of use and abuse. Our manual faucets are easy to install and just as easy to maintain.








Manual Faucets

Model	Description
410-T41E37VPABCP*	Single Lever, Ceramic Cartridge, Vandal Proof Outlet, 1.5 GPM, Max. Temperature 107°F
410-T41E64VPABCP*	Single Lever, Ceramic Cartridge, Vandal Proof Outlet, 1.0 GPM, Max. Temperature 107°F
410-T41E2805ABCP*	Single Lever, Ceramic Cartridge, Vandal Proof Outlet, 0.5 GPM, Max. Temperature 107°F
410-T41E39VPABCP*	Single Lever, Ceramic Cartridge, Vandal Proof Outlet, 0.35 GPM, Max. Temperature 107°F
420-T41E39VPABCP*	Single Lever, Ceramic Cartridge, Vandal Proof Outlet, 0.35 GPM, Max. Temperature 105°F
420-T41E2805ABCP*	Single Lever, Ceramic Cartridge, Vandal Proof Outlet, 0.5 GPM, Max. Temperature 105°F
420-T41E74ABCP*	Single Lever, Ceramic Cartridge, 1.0 GPM, Max. Temperature 105°F
420-T41ABCP*	Single Lever, Ceramic Cartridge, 1.5 GPM, Max. Temperature 105°F
2200-E39ABCP	Single Lever, Non Aerating Outlet, Ceramic Cartridge, 0.35 GPM
3512-4E39VPAB	Hot and Cold Water Mixing, Vandal Proof Outlet, Ceramic Cartridge, 0.35 GPM
895-317E38VPABCP	Hot and Cold Water Mixing, 3-1/2" Gooseneck Spout, Vandal Proof Non-Aerating Outlet, Vandal Proof 4" Wristblade Handles, Quaturn Cartridge, 0.35 GPM





410-T41E37VPABCP



895-317E38VPABCP



NEW!

The 410-T and 420-T Series feature integrated TempShield™ scald protection: now there's no need to install a separate thermostatic mixing valve below the sink. The result is a time-saving restroom faucet installation that complies with ASSE 1070 requirements and helps protect users against scalding.







Our metering faucets prevent faucet run-on and provide safety, ease of operation, and water conservation. Easy adjustability allows the installer to customize the faucet run-time to site conditions. Time-tested, patented design is backed by an industry leading 5-year cartridge warranty.

Metering Faucets

Model	Description
333-665PSHABCP	Single Supply Metering, 2.2 GPM Non-Aerating Outlet, MVP Metering Cartridge, Vandal Proof MVP Metering Push Handle
3400-ABCP	Single Supply Metering, 0.5 GPM Vandal Proof Non-Aerating Spray, MVP Metering Cartridge
3500-E2805ABCP	Single Supply Metering, 0.5 GPM Vandal Proof Non-Aerating Spray, MVP Metering Cartridge
3501-E2805ABCP	Hot and Cold Water Metering, 0.5 GPM Vandal Proof Spray, MVP Metering Cartridge, Vandal Proof Handle
3600-E2805AB	Hot and Cold Water Metering, 0.5 GPM Vandal Proof Non-Aerating Spray, MVP Metering Cartridge
404-V665ABCP	Concealed Hot and Cold Metering, 2.2 GPM, Softflo Aerator, MVP Metering Cartridge, Vandal Proof MVP Metering Push Handle
802-V665ABCP	Hot and Cold Water Metering, 2.2 GPM Vandal Proof Outlet, MVP Metering Cartridge, Vandal Proof Handle



333-665PSHABCP



3400-ABCP



3500-E2805ABCP



Chicago Faucets offers a selection of water conserving metering faucets that combine automatic shut-off with a 0.35 GPM outlet for maximum water savings.



3600-E39VPAB

Water Conserving Metering Faucets

Model	Description
333-665E39PSHABCP	Single Supply Metering, 0.35 GPM Non-Aerating Outlet, MVP Metering Cartridge, Vandal Proof MVP Metering Push Handle
3400-E39VPABCP	Single Supply Metering, 0.35 GPM Vandal Proof Non-Aerating Spray, MVP Metering Cartridge
3500-E39VPABCP	Single Supply Metering, 0.35 GPM Vandal Proof Non-Aerating Outlet, MVP Metering Cartridge
3501-E39VPABCP	Hot and Cold Water Metering, 0.35 GPM Vandal Proof Outlet, MVP Metering Cartridge, Vandal Proof Handle
3600-E39VPAB	Hot and Cold Water Metering, 0.35 GPM Vandal Proof Non-Aerating Outlet, MVP Metering Cartridge
404-V665E39ABCP	Concealed Hot and Cold Metering, 0.35 GPM, Non-Aerating Outlet, MVP Metering Cartridge, Vandal Proof MVP Metering Push Handle
802-V665E39ABCP	Hot and Cold Water Metering, 0.35 GPM Vandal Proof Outlet, MVP Metering Cartridge, Vandal Proof Handle





404-V665E39ABCP




802-V665E39ABCP



Food Service

The kitchen may be the most demanding environment in any building, requiring durable, dependable plumbing fittings that can be quickly repaired. Chicago Faucets are designed for interchangeability, assuring that parts are always available at a moment's notice.





Your kitchen deserves the most affordable, durable, and dependable faucets available. Our workboard faucets deliver. Choose deck mount or wall mount models with full-flow or water conserving 1.5 GPM outlets – plus a wide variety of spouts and handle options to meet your exact needs.



W8D-DB6AE35-317AB



W4D-L9E1-317ABCP



W8D-GN1AE1-317ABCP



W4D-GN2AE1-369ABCP



W8W-DB6E1-369ABCP



W4W-L9E1-369ABCP



W8W-GN1AE1-369ABCP



Workboard Faucets

Deck Mount

Model	Description
W4D-DB6AE1-369ABCP	4" Deck Mount, 6-1/4" Double Bend Spout, Lever Handles, Full Flow Outlet
W4D-L9E1-317ABCP	4" Deck Mount, 9-1/2" Swing Spout, Wristblade Handles, Full Flow Outlet
W4D-GN1AE1-369ABCP	4" Deck Mount, 3-1/2" Gooseneck Spout, Lever Handles, Full Flow Outlet
W4D-GN2AE1-369ABCP	4" Deck Mount, 5-1/4" Gooseneck Spout, Lever Handles, Full Flow Outlet
W8D-DB6AE35-317AB	8" Deck Mount, 6-1/4" Double Bend Spout, Wristblade Handles, 1.5 GPM Outlet
W8D-L9E35-369ABCP	8" Deck Mount, 9-1/2" Swing Spout, Lever Handles, 1.5 GPM Outlet
W8D-GN1AE1-317ABCP	8" Deck Mount, 3-1/2" Gooseneck Spout, Wristblade Handles, Full Flow Outlet
W8D-GN2AE35-369AB	8" Deck Mount, 5-1/4" Gooseneck Spout, Lever Handles, 1.5 GPM Outlet

Wall Mount

Model	Description
W4D-DB6AE35-317AB	4" Wall Mount, 6-1/4" Double Bend Spout, Wristblade Handles, 1.5 GPM Outlet
W4D-L9E35-369AB	4" Wall Mount, 9-1/2" Swing Spout, Lever Handles, 1.5 GPM Outlet
W4W-L9E35-317ABCP	4" Wall Mount, 3-1/2" Gooseneck Spout, Lever Handles, 1.5 GPM Outlet
W4D-GN2AE1-369ABCP	4" Wall Mount, 5-1/4" Gooseneck Spout, Lever Handles, Full Flow Outlet
W8W-DB6AE1-369ABCP	8" Wall Mount, 6-1/4" Double Bend Spout, Lever Handles, Full Flow Outlet
W8D-L9E1-369ABCP	8" Wall Mount, 9-1/2" Swing Spout, Wristblade Handles, Full Flow Outlet
W8W-GN1AE1-369ABCP	8" Wall Mount, 3-1/2" Gooseneck Spout, Wristblade Handles, Full Flow Outlet
W8D-GN2AE1-317ABCP	8" Wall Mount, 5-1/4" Gooseneck Spout, Wristblade Handles, Full Flow Outlet

W4W-GN2AE35-317AB



Our Hi Arc faucet with Pull-Down Spray delivers a contemporary design with commercial durability and easy drop-in installation. Simple pushbutton activation between spray and fill conserves water.



640-L9E35-369YAB

Hi Arc Faucet with Pull-Down Spray

Model	Description
434-ABCP	Single Handle Faucet, 9" Center to Center Spout, 1.5 GPM Outlet, Ceramic Cartridge



640-L12E1-317YAB



These wall mounted kitchen faucets feature hot and cold water supply stops built into the faucet body. Stops open and close with a standard screwdriver for fast service and minimal downtime.



640-S6E35-369YAB

Wall Mount Sink Faucets With Integral Stops

Model	Description
640-L9E35-369YAB	Adjustable Centers, 9-1/2" Swing Spout, Lever Handles, 1.5 GPM Outlet
640-L12E1-317YAB	Adjustable Centers, 12" Swing Spout, Wristblade Handles, Full Flow Outlet
640-S6E35-369YAB	Adjustable Centers, 6" Brass Spout, Lever Handles, 1.5 GPM Outlet





The high performance of our pre-rinse spray valves is combined with the unmatched durability of our faucet bodies and cartridges for a workhorse dish room product.

Pre-Rinse

Model	Description
510-SSABCP	8" Deck Mount, 23" Riser, 44" Stainless Steel Hose, Lever Handles, 1.0 GPM Pre-Rinse Spray
90-LABCP	1.0 GPM @ 60 PSI Water Conserving Pre-rinse
99TFAB	0.91 / 0.99 GPM @ 60 PSI Triple Force™ Water Conserving Pre-Rinse with 3 Spray Patterns



510-SSABCP



Our wall- and deck-mounted glass fillers feature an all-brass valve and easy volume control. Our dipperwell faucet is built around our industryleading MVP metering cartridge.

Glass Fillers and Dipper Well Faucet

Model	Description
312-ABCP	Wall Mounted Glass Filler
712-ABCP	Deck Mounted Glass Filler
333-665PSHABCP	Deck Mounted Single Hole Metering Dipper Well Faucet



712-ABCP



333-665PSHABCP



Facility Maintenance

It is critical that the sink areas for facility maintenance and janitorial services provide consistent and durable performance. Chicago Faucets delivers with high quality faucets backed by the industry's strongest warranties. All of our service fittings are designed and built to withstand the kind of rigorous daily use that competitive faucets just can't take.









201

293-RCF

952-CP

Inside Sill Fittings

Model	Description
293-CP	Bright Chrome Finish, 3/4" Male Hose Thread Outlet
293-RCF	Rough Chrome Finish, 3/4" Male Hose Thread Outlet
952-CP	With Vacuum Breaker, Bright Chrome Finish, 3/4" Male Hose Thread Outlet
998-RCF	With Body Drain Plug, Vacuum Breaker, Rough Chrome Finish, 3/4" Male Hose Thread Outlet



998-RCF

Pail Hook Service Sink Faucets

Model	Description
445-PVBCP	3" - 8-3/8" Adjustable Arms with Integral Check and Shut-off Stop, Spill Resistant Pressure Vacuum Breaker, for Continuous Pressure Applications, 3/4" Male Hose Thread Outlet
540-LD897SCP	7-1/4" - 8-3/4" Adjustable Arms, Atmospheric Vacuum Breaker, 3/4" Male Hose Thread Outlet
897-CCP	7-5/8" - 8-3/8" Adjustable Arms with Integral Check and Shut-off Stop, Atmospheric Vacuum Breaker, 3/4" Male Hose Thread Outlet



Wall Mount Faucets

Model	Description
540-LDL8ABCP	8" Swing Cast Brass Spout, 7-1/4" - 8-3/4" Adjustable Arms with 3/8" Offset Inlet Supply Arms, Lever Handles, 2.2 GPM Aerator
631-ABCP	3-1/2" Rigid/Swing Gooseneck Spout, 7-1/4" - 8-3/4" Adjustable Arms with 3/8" Offset Inlet Supply Arms, Wristblade Handles, 2.2 GPM Aerator



631-ABCP

Parts and Components

Chicago Faucets offers the most extensive selection of interchangeable, commercial-grade parts and components in the industry. Parts that are designed and tested to Chicago Faucets factory specifications make for a perfect fit and are backed by over a century of experience. In fact, Chicago Faucets still makes repair parts for fittings that have been in service for decades. Whether you're putting up a new building or just performing regular maintenance, you can count on getting the parts you need, now and for years to come.



Stops and Supplies

Model	Description
45-LKABCP	Straight Stop, Slow Compression Operating Cartridge, 1/2" Female Thread Inlet, 1/2" Female Thread Outlet
1017-CABCP	Angle Stop with Supply Tube, Slow Compression Integral Check Cartridge, 1/2" Female Thread Inlet, 3/8" Female Compression Outlet
1017-CSTABCP	Angle Stop with Integral Check, 1/2" NPT Female Thread Inlet, 3/8" O.D. Female Compression Outlet, Serviceable Spring Check Cartridge
1017-MMABCP	Angle Stop with Supply Tube, Slow Compression Metal To Metal Cartridge, 1/2" Female Thread Inlet, 3/8" Female Compression Outlet
1025-ABCP	Angle Stop, Slow Compression Cartridge, 5/8" Compression Inlet, 5/8" Female Compression Outlet









Cartridges

Model	Description
1-100XKJKABNF	Ceramic 1/4-Turn Operating Cartridge
1-099XTDAB	RH Quaturn Unit
217-XTLHJKABNF	Slow Compression Operating Cartridge
274-XTLHJKABNF	Slow Compression Control-A-Flo Operating Cartridge
333-XPSHJKABNF	Fast Closing Push Button Cartridge (Push Index)
333-XSLOPJKABNF	NAIAD Metering Cartridge, Adjustable Cycle Time Closure
667-080KJKABNF	Metering Valve Actuator & Cartridge

Vacuum Breakers

Model	Description
E22JKCP	In-Line Atmospheric Vacuum Breaker, 3/8" Male Thread Inlet, 3/8" Female Thread Outlet
892-ABCP	Atmospheric Vacuum Breaker, 1/2" Female Thread Inlet, 1/2" Female Thread Outlet
892-GABCP	Elevated Vacuum Breaker Assembly 3/8" Offset Inlet Supply Arm, 1/2" Female Thread Inlets



Model	Description
E38VPJKABCP	0.35 GPM Vandal Proof Pressure Compensating Econo-Flo Non-Aerating Outlet
E39VPJKABCP	0.35 GPM Vandal Proof Pressure Compensating Econo-Flo Non-Aerating Outlet





E22JKCP



E38VPJKABCP

E39VPJKABCP





We are a member of the U.S. Green Building Council and support the Leadership in Energy and Environmental Design (LEED) Green Building Rating System™, to measure the efficiency and sustainability of buildings in the U.S. and Canada. If you are trying to achieve LEED Certification for your building, our low-flow outlets, metering cartridges, and sensor-operated faucets can contribute points in these areas: Water Efficiency Credit 2: Innovative Wastewater Technologies and Water Efficiency Credit 3: Water Use Reduction.





We are proud to be a partner with WaterSense®, sponsored by the EPA and designed to protect the future of our nation's water supply by promoting efficiency and enhancing the market for water efficient products, programs, and practices.



We are a charter sponsor of the Alliance for Water Efficiency, a non-profit organization that is dedicated to the efficient and sustainable use of water. It brings together a diverse range of stakeholders to advocate water efficiency and conservation.

Chicago Faucets, a member of the Geberit Group, is the leading brand of commercial faucets and fittings in the United States, offering a complete range of products for schools, laboratories, hospitals, office buildings, food service, airports, and sports facilities. Whatever your requirements may be, Chicago Faucets offers standard and made-to-order products that are designed to meet any commercial application.

> The Chicago Faucet Company 2100 South Clearwater Drive Des Plaines, IL 60018 Phone: 847/803-5000 Fax: 847/803-5454

Technical: 800/832-8783 www.chicagofaucets.com